

Energy performance certificate (EPC)

7 Olympus Court
Olympus Avenue
Tachbrook Park
WARWICK
CV34 6RZ

Energy rating

B

Valid until: **18 August 2032**

Certificate
number: **7212-6462-3821-4064-5676**

Property type

Offices and Workshop Businesses

Total floor area

279 square metres


Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

You can read [guidance for landlords on the regulations and exemptions \(https://www.gov.uk/government/publications/non-domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance\)](https://www.gov.uk/government/publications/non-domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Energy efficiency rating for this property

This property's current energy rating is B.



Properties are given a rating from A+ (most efficient) to G (least efficient).

Properties are also given a score. The larger the number, the more carbon dioxide (CO2) your property is likely to emit.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

11 | A

If typical of the existing stock

42 | B

Breakdown of this property's energy performance

Main heating fuel

Grid Supplied Electricity

Building environment

Air Conditioning

Assessment level

3

Building emission rate (kgCO₂/m² per year)

12.65

Primary energy use (kWh/m² per year)

135

▶ [What is primary energy use?](#)

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/9480-5093-7542-5414-1636\)](/energy-certificate/9480-5093-7542-5414-1636).

Contacting the assessor and accreditation scheme

This EPC was created by a qualified energy assessor.

If you are unhappy about your property's energy assessment or certificate, you can complain to the assessor directly.

If you are still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation schemes are appointed by the government to ensure that assessors are qualified to carry out EPC assessments.

Assessor contact details

Assessor's name

Anthony Brown

Telephone

07967 595227

Email

tonybrown@abenergyservices.co.uk

Accreditation scheme contact details

Accreditation scheme

Elmhurst Energy Systems Ltd

Assessor ID

EES/022595

Telephone

01455 883 250

Email

enquiries@elmhurstenergy.co.uk

Assessment details**Employer**

AB Energy Services

Employer address

5 Alderminster Grove, Hatton Park, Warwick, CV35 7TB

Assessor's declaration

The assessor is not related to the owner of the property.

Date of assessment

17 August 2022

Date of certificate

19 August 2022

Other certificates for this property

If you are aware of previous certificates for this property and they are not listed here, please contact us at dluhc.digital-services@levellingup.gov.uk or call our helpdesk on 020 3829 0748 (Monday to Friday, 9am to 5pm).

There are no related certificates for this property.