
Energy performance certificate (EPC)			
Unit 6 More Plus Central Park Hudson Avenue Severn Beach Bristol BS35 4EL	Energy rating	Valid until: 16 August 2032 Certificate number: 6608-2085-4867-4049-8162	
Property type Total floor area		B8 Storage or Distribution 4,423 square metres	

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is A.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

If typical of the existing stock



20 A

Breakdown of this property's energy performance

Natural Gas
Heating and Natural Ventilation
5
13.77
81

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> <u>report (/energy-certificate/1376-2802-2487-0086-1673)</u>.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Nick Walker
Telephone	0114 308 2038
Email	nick@walkeranalysis.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	CIBSE Certification Limited
Assessor's ID	LCEA185238
Telephone	020 8772 3649
Email	epc@cibsecertification.org

About this assessment

Employer	Walker Energy Analysis
Employer address	3-5 Tapton House Road, Sheffield
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	16 August 2022
Date of certificate	17 August 2022