Greater London House

# 

Camden NW1



### HOME TO...



# THE COOL CATS

# DIVINE FEINES

# MAJESTIC MOGS

## ON THE HUNTFOR...


# CAT-HABITANTS



# CO-HABITANTS




# YOUR PLAYGROUND AWAITS




# 350,300 SQ-PAWS\*

# \*35,030 SQ-FEET



## FLOORS 4&5



#### GLH habitants



+ WUNDERMAN THOMPSON


REVLON

**OSOS** 



Office


#### 16,834 sq-ft



HAMPSTEAD ROAD

MORNINGTON CRESCENT





# FOR SUN-SEEKERS



### 4,305 SQ-FTOF PRIVATE TERRACING

### ACROSS 3 TERRACES

Central terrace 2,518 sq-ft South terrace 1,098 sq-ft

North terrace

689 sq-ft



### ARRIVE IN STYLE

#### PARK UP

Dedicated bike racks, showers and lockers





#### WALK IN

Impressive arrival experience



## DESIGNED FOR COMFORT

#### PURRFECT PERKS



Full 1:8 sq-m design criteria



4,305 sq-ft of private terracing



Interconnecting staircase



Exceptional natural light



3.72m floor to ceiling height



Biophilic design



New 4-pipe fan coil air conditioning system



Circadian lighting



Space for 40 cycles & car parking



Electric car charging available



7 dedicated showers, 26 lockers



24hr on site reception & security team



#### Delivered to


# CATA



# CATB

Make it your own






# YOUR STOMPING GROUND

# LIVELY CAMDEN & COOL KING'S CROSS









## LOCAL TERRITORY

At the intersection of Camden and King's Cross, the area offers everything you need to work, rest or play.



# CLOSE COMPANIONS

| 1 | <b>GLH</b><br>ASOS<br>Revlon<br>British Heart Foundation<br>Wundermann | 4 | <b>The Lantern</b><br>Siemens<br>Bauer Media<br>Fujitsu<br>Zenimax |
|---|--|---|--|
| 2 | Regent's Place   | 5 | Universal Music  |
|   | Meta<br>Santander  | 6 | Central St Martin  |
|   | Kier   | 7 | Lyle & Scott   |
|   | Dentsu Aegis   | 8 | MTV Studios  |
| 3 | Centro 1<br>Piercy & Co<br>French Connection<br>Hugo Boss              | 9 | Dr Martens   |



#### EATS AND TREATS Camden Market Hawley Wharf 1 3 Dez Amore Ekachai The Lucky Club Bun House Chin Chin Labs The Black Cow Nata 28 Soho Creamery Powerhaus Lemonia 4 Basta 5 Mildreds 2 Coal Drops Yard The Spirited Barrafina 6 Casa Pastor Naamaste Kitchen 7 Coal Office York & Albany Hicce 8 Parrillan Purezza 9 The Drop

# 


CRESCENT

MORNINCTON

MORINGTON CRESCENT min walk

7.1.4

## GO LOCAL



KING'S CROSS / ST PANCRAS 10 min walk

Calds.

-

KING'S CROSS SQUARE

← ➡ King's Cross Station ← ⊙ Underground ← ⊠ Taxis

🗧 💀 Entrance 🛛 Exit only

Exit only

Exit only

🗧 💽 Entrance



## From King's Cross St Pancras:





# ON YOUR DOORSTEP





The iconic arts and music venue has re-opened, following a £70-million restoration.



KOKO  $\rightarrow$  A concert venue and former theatre with live music & club nights.



CAFE KOKO → A vibrant, day-to-night bar and pizzeria.



HOUSE OF KOKO → An exclusive chic members club.



# PAWS FOR THOUGHT





CANALSIDE STEPS  $\rightarrow$  Outdoor arts, music and cinema screenings.



REGENT'S CANAL → Connecting King's Cross and Camden.



# EAT. SHOP. PLAY.



HAWLEY WHARF 10 min stroll

AR

5352 36532 53

FI

## HAWLEY WHARF

North London's brand new shopping, eating and dining destination.



CURZON CINEMA → Sophisticated screenings in railway arches

→ Traditional taste of noodles and spicy broths

FUTURERITY → Quirky sunglasses and vintage vibes

BUTCHERS SALON → Vegan focused hair salon



## CAMDEN MARKET

Over 1000 shops and stalls selling fashion, music, art and food next to Camden Lock.



FOOD MARKET  $\rightarrow$  Diverse collection of global dishes



SHOPS & STALLS → An eclectic mix selling new, vintage & unique gifts



UNIQUE HOME → Authentic lamp emporium



CAMBERRY → Dapper menswear



## COAL DROPS YARD

Shopping destination and foodie hotspot just 5 mins walk from King's Cross St Pancras.



THE DROPS MARKET
→ Stalls with emerging talent in fashion & culture

SUMMER SOUNDS → Annual free music festival

EARL OF EAST  $\rightarrow$  Lifestyle emporium, coffee shop & event space

BARRAFINA → Spanish tapas & wine

# CAMDEN CULTURE





Experience world-class acts at some of the most famous arts and music venues in the UK.



BLUES KITCHENJA $\rightarrow$  Dedicated blues bar with food & live music $\rightarrow$  In

JAZZ CAFE → Intimate venue for jazz, soul, reggae & more

CAMDEN ASSEMBLY → Establishesd indie haunt host to upcoming talent

ROUNDHOUSE → Performing arts & concert venue

# ABOUT LAZARI

## SELECTION OF OUR BUILDINGS

Lazari operates across seven key estates in Central London, owning 3.1 million sq-ft of buildings across the West End.



25 Berkeley Square

16 Great Marlborough Street

82 Baker Street


Henrietta House

The Lantern

Met Building

SUSTAINABLE COMMITMENTS

Creating exemplary, innovative, connected and inclusive developments resonates with our beliefs and values.



# GALLERY









# SPECIFICATION

## WELLBEING IN FOCUS

A health-conscious design to take care of talent.

We are inextricably drawn to nature and Biophilic Office Design, a concept that advocates bringing the outdoors into the workplace. The 5th floor terrace area of 400m<sup>2</sup> provides natural light, air, views and opportunities for outdoor work, rest and other activities promoting psychological advantages which aid improved wellbeing. Having the opportunity to be in touch with nature through outdoor space allows people to choose their work setting, and also provides access to fresh air and vitamin D.

### FULL SPECIFICATION

Efficiency as standard. A new lease of life for the long-term future.

#### 1.0 OCCUPANCY

#### 1.1 Design occupancy densities

WC provision 1:8m<sup>2</sup> in accordance with HSE Regulation 21 and BCO

recommendations.

#### <u>Lifts</u>

Existing 6 passenger lifts plus Goods Lift access to 4th and 5th floor.

#### Fire escapes

5th floor 3 existing staircase plus escape route across roof south block. 4th floor 3 existing staircases.

#### 1.2 Outside air rate

10 Litres/second person at 1 person in  $10m^{\rm 2}$ 

**1.3** Net: Gross floor area efficiency N/A.

**1.4 Means of escape** As existing. GLH Fire & Life Safety Strategy.

#### 2.0 STRUCTURAL GRID

#### 2.1

Typically the 300x300 RC column grid is 5.5m West/ East and 5.2m North/South.

#### 3.0 FLOOR LOADINGS (IMPOSED LOADS)

**3.1 Office floors** 2.5 KN/m<sup>2</sup>

**3.2 Office partitions** 1KN/m<sup>2</sup> cds

**3.3 Office file storage areas** No areas identified as such.

**3.4 Terraces (for occupier's access)** 2.5 KN/m<sup>2</sup>

#### 4.0 FLOOR HEIGHTS

**4.1 Office floor slab-to-slab**4th floor 3720mm, 5th floor 2910mm.

**4.2 Office clear height above finished floor level** 4th floor 2700mm, 5th floor 2500mm.

**4.3 Raised floor zone** Generally 110mm (top of structural slab to top of tile)

**4.4** Office high level services zone (exposed services) 4th floor 870mm, 5th floor 300mm.

#### 5.0 STRUCTURE

**5.1 Basement construction** No change to existing.

#### 5.2 Existing building structure

Originally CARRERAS cigarette factory constructed 1926-28. Reinforced concrete structural frame. 5th & 6th floors added in 1970's.

**5.3 Foundations** No change to existing. **5.4 Superstructure frame** New change to existing RC frame.

5.5 Roof slabs No change to existing.

**5.6 Below ground waterproofing** Existing. Not part of these works.

#### 6.0 EXTERNAL FINISHES

6.1 West façade Re-decorated white paint.

#### 6.2 Terraces

(New roof membrane installation preceded paving). The terraces are finished with 1200x400x20mm Domus NORWAY HOME porcelain paving (Code: FRASSINO DXF MATH 08. Finish: NATURAL ANTI-SLIP). Laid as tow levels with one step incorporating under nosing illumination. On non-combustible pedestals. Planters are formed from 10mm NORWAY HOME tiles to match the terrace floor tiles. LED lighting is provided in stainless steel bollard lights. The existing perimeter balustrade has been cleaned, painted and an additional horizontal rail added to ensure continued compliance. Access to terrace improved by installation of new external doors and windows to 6 locations.

#### 7.0 INTERNAL OFFICE FINISHES

7.1 Walls

Prepared and painted white emulsion.

#### 7.2 Floors

Kingspan 600x600 fully encapsulated access floor tile system RG3 on steel pedestal support.

#### 7.3 Ceilings

<u>5th Floor</u> M/F plasterboard ceiling throughout, painted white emulsion.

#### <u>4th Floor</u>

M/F plasterboard ceilings within existing structural bays (defined by existing beams). Ceilings painted white emulsion.

#### 7.4 Blinds

Window to ceiling detail incorporates space for the tenant to install their own choice of blinds.

#### 8.0 RECEPTION

#### 8.1 Reception area

Design/installation by incoming tenant.

#### 8.2 Bespoke staircase

Feature links 4th and 5th floors at entrance/reception location.

#### 8.3 Feature lighting

Above staircase Swann Lighting 4.4m 'GIRDER' lights.

#### 9.0 LIFT LOBBY (4 AND 5)

#### 9.1 Floor

1198x298x10mm PROVOAK DPVK 05 Porcelain 'Wood' tiles.

#### 9.2 Walls

Polished plaster.

#### 9.3 Ceilings

M/F plasterboard ceiling painted emulsion white.

#### 9.4 Doors

PYROSTYLE fully glazed double doors and side screens. PPC paint finish RAL 9005 30% gloss.

#### **10.0 WC PROVISION**

#### 10.1 Total

6no. in total (4th floor 3no. + 2 urinals and shared lift lobby, 5th floor 13no. + 5 urinals).

#### 10.2 Walls

METRO Tiles 200x100mm bevel edge, white wall tiles with black tiles at skirting level.

#### 10.3 Floors

ARTE 200x200 porcelain floor tiles. Shower cubicles include slip resistant step and floor tiles. Part M WC and Shower, ALTRO AQUARIOUS HIPPO AQ12013 vinyl non-slip, coved, safety floor finish.

#### 10.4 Ceilings

M/F plasterboard ceiling with black emulsion paint finish. Recessed lighting and heaters above ceiling.

#### 10.5 Doors

High pressure laminate doors in Polyrey Monochrome N105 NOIR ABSOLU LEG.

#### 10.6 Sanitaryware

Ideal Standard 'WAVERLEY' white porcelain WC pans with concealed cisterns. White porcelain wash hand basins. 'WAVERLEY' U4701. VELTIA D4 Hand dryers. Burlington 'KENSINGTON' 2 taphole arch basin mixer taps with curved spout and black lever Urinals. HL Washrooms 'FLORIDA' back inlet urinals with programable sensor flush.

#### 10.7 Accessible WC Provision

<u>5th Floor</u>

1no. Part M compliant WC, ramped access from 5th floor office.

#### <u>4th Floor</u>

2no. cubicles as large as existing building dimensions allow.

#### 11.0 OFFICE SHOWERS

#### 11.1 Shower provision

5th floor, 6no. 2850x1200mm shower cubicles and 1no. Part M compliant shower cubicle. Leak detection installed below each shower.

#### 11.2 Drying room

11.3 Lockers

Locker room provided in the 5th floor south block.

#### 12.0 LIFTS

#### 12.1 Manufacturer

Main core (6No.) lifts by Thysenkrupp.

#### 12.2 Capacity

Main core (entrance/reception) six lifts, 12 person/900kg each.

#### 12.3 Lift speed

1m per second.

#### 12.4 Passenger lift internal finishes

Mirror glass interior. Call destination pads for each level.

#### 12.5 Goods lift internal finishes

(to be replaced by new goods lift of equal size)

Walls

Metallic panels with wooden buffer edge. Max. load 40 person/3000kg.

#### 13.0 MECHANICAL INSTALLATIONS

#### 13.1 Ventilation parameters

1 person in 10m2 @ 10 litres per person per second (CIBSE guidelines and Part F – 2013): 4th floor mechanical ventilation from centralised AHU plant serving ground to 4th floors.The 5th floor has two dedicated air handling units at roof level.

#### 13.2 Additional tenant cooling

4 x Split A/C ceiling mounted units at centre 5th floor. Any future comms room cooling by tenant.

#### 13.3 Ventilation strategy

Tempered outside air provided for 1 person in 10m2 @ 10 litres per person per second.

#### **13.4** Fire fighting staircase ventilation N/A.

#### 13.5 Heating and Cooling

Provided from central chilled water and LTHW heating plant to serve high level 4-pipe fan-coil units at 4th floor and perimeter low level 4-pipe fan-coil units at 5th floor.

Design internal space temperature conditions at 22°C +/- 2°C at ambient design. Air conditioning equipment is

4-pipe fan coil units manufactured by Quartz.

 $24^{\circ}$ C db +/-  $2^{\circ}$ C, 16°C wb at ambient design summertime temperature as CIBSE guidelines.Winter temperature to be achieved = 22% +/-  $2^{\circ}$ C.

All new 4th and 5th floor fan-coil units are controlled and monitored on a BMS Trend IQL controller networked to a front-end PC with graphics to address each fan-coil unit for set point temperature and time schedule control.

#### Chilled water

4th Floor Rear Offices = 6.09 litres/second – 153 KW 5th Floor Offices = 7.65 litres/second = 192 KW

#### Heating

4th Floor Rear Offices = 1.63 litres/second = 75 KW 5th Floor Offices – 1.58 litres/second = 73 KW

All new fan-coil units have generation Trend IQL controllers networked to a front end PC with graphics to address each fan-coil unit for set point temperature and time schedule control.

#### 13.6 Future tea point extract

Tenant provision.

#### **14.0 FIRE SAFETY STRATEGY**

#### 14.1 Fire Exits

Fire safety strategy for the 4th & 5th floors is as set out in the Greater London House Fire Safety Strategy.

#### 14.2 As above

14.3 As above

#### **15.0 PUBLIC HEALTH SERVICES**

#### 15.1 Hot water service

Point of use electric hot water heaters provided to all toilet facilities. Electric showers in 5th floor showers.

#### 15.2 Cold water service

Coldwater supplies from the boosted water system operating in the building.

#### 15.3 Drainage

Foul drainage in toilet and shower facilities with SVP's to ground level discharge.

#### **16.0 FIRE PROTECTION**

#### 16.1 Fire suppression

N/A.

16.2 Dry riser

N/A.

#### 16.3 Fire alarm

Fire alarm system installed to current BS guidelines interfaced with main building fire alarm system.

#### **17.0 ELECTRICAL SERVICES**

**17.1 Lighting** Office lighting

#### Ergonomically Designed

The main floors utilise the clean lines of the Chimera Constant linear luminaire both suspended with an up and downlighting components on the 4th floor to increase the users' comfort in the work environment and also in discrete recessed for the lower ceilings on the 5th floor. All have low glare diffusers keeping the Glare Rating (GR) of these stylish luminaires below 19, thereby increasing the users' comfort by reducing eyestrain and increasing visual acuity in the environment.

#### Technological performance

The light from the main lighting is balanced to produce a consistent colour of light in the environment, at a colour temperature equal to 4000K the light is perfect for the working environment neither too cool nor too warm, the light is perfect for the working area. Using thelatest generation of LED, the performance is excellent for both the quantity and quality of light.

Each luminaire is fitted with a Passive infrared sensor that detects the slightest of movements ensuring the lighting remains on when users are in the environment. Each light is also wirelessly controlled and can be dimmed or brightened through the use of a smart tablet and also can be interlinked to ensure banks of lights are turned on simultaneously. The technology learns theenvironment and can distinguish between occupied and unoccupied times thereby reducing the energy used.

#### Lighting and Power attributes

The lighting is designed in accordance with the latest BREEAM ratings for environmentally designed buildings. With a power distribution of 5.49W/m2 and with dimming capabilities to reduce this further makes the Lighting Aesthetically pleasing but also with a low running cost.

#### Demised Toilets

Aesthetics paramount – In the demised toilet areas a combination of vintage meets contemporary style in

these boutique styled conveniences, where Chrome Art Deco wall lights are complemented with modern high functioning downlights. Moving from the cool environment of the offices to a warmer welcoming feel of the demised areas that are lit using LED with a colour temperature of 3000K or warm white.

#### High Performance

Again controlled by PIR to reduce any waste energy, the LED technology is mirrored from the main floor lighting. Allowing stunning effects with lower running costs, again meeting BREEAM standards with lower than 5W/ m2 when running, and an estimated 1W/m2/hr when control is taken into consideration over a 24 hour period.

#### 17.2 Power

The 4th and 5th floors each have 2no 12-way distribution boards with a separate DB to the 5th floor shower block.

#### 17.3 Energy Metering

Potential for local DB power energy metering to local BMS.

#### 17.4 Generator

N/A.

#### 17.5 Photovoltaic Installation

PV installed as part of landlords works to the courtyard offices as part of planning requirements. No PV to main building.

#### 17.6 TV, Radio and Satellite Services

To be provided by the incoming tenant to suit the tenant requirements.

#### 18.0 COMMUNICATIONS INSTALLATION

**18.1 Communications** By incoming tenant.

#### **19.0 BUILDING MAINTENANCE**

#### 19.1 Building maintenance

Carried out by in-house engineers and Hemlow.

#### 19.2 Window cleaning

Contracted to Endersham External window cleaning.

#### 20.0 ACCESSIBILITY

#### 20.1 Step-free access

Provided by front entrance front entrance ramp and platform lift from pavement to ramp. From lower ground car park ramp access is provided to lift level.

#### 20.2 Car parking

Available within the terms of lease.

#### 21.0 BICYCLE PARKING

#### 21.1 Cycle storage

Secure bicycle parking in the lower ground car park is available to all tenants.

#### 22.0 REFUSE

#### 22.1 Storage/collection provision

Loading bay (Compactor and recycling provision) All waste to be taken to the loading bay via goods lift where Endersham operatives will dispose accordingly.

#### 23.0 BREEAM

#### **23.1 BREEAM rating** Not applicable to the 4th/5th floor fit out.

# REACH OUT



Sean Cunningham 07827 985858 scunningham@edwardcharles.co.uk

Andrew Okin 07887 714491 aokin@edwardcharles.co.uk CUSHMAN & WAKEFIELD

James Taylor 07899 843 767 james.taylor@cushwake.com

Matt Waugh 07912 977 980 matt.waugh@cushwake.com greaterlondonhouse.co.uk

180 Hampstead Road, London NW1 7AW

Molly Maguire 07860 612343 mmaguire@edwardcharles.co.uk

Important notice: All information is correct at the time of publication, Q4 2022. This document has been prepared and is intended as a guide to supplement an inspection or survey and does not form part of any offer or contract. Their accuracy is not guaranteed. They contain statements of opinion and in some instances we have relied on information supplied by others. This document includes photographs of the surrounding area for illustrative purposes only. Design elements and specification details may change without further notice. You should verify the particulars on your visit to the site and the particulars do not obviate the need for a survey and all the appropriate enquiries. Accordingly, there shall be no liability as a result of any error or omission in the particulars or any information given. Computer generated images are for illustrative purposes only and dimensions are not intended to form part of any contract or warranty. Designed and built by Simple Truth. +44 7788 596744.

A development by:

