

Total floor area


1,081 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's current energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

30 B

If typical of the existing stock

Breakdown of this property's energy performance

Main heating fuel

Building environment

Heating and Natural Ventilation

Assessment level

3

Building emission rate (kgCO2/m2 per year)

60.76

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> <u>report (/energy-certificate/0930-7987-0434-8300-3064)</u>.

89 D

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name Carl Cappuccini
Telephone 01892 300 450

Email <u>enquiries@jcmlconsultancy.com</u>

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme Quidos Limited
Assessor's ID QUID203012
Telephone 01225 667 570
Email info@quidos.co.uk

About this assessment

Employer GreenFish Consulting (JCML)

Employer address 177 Silverdale Road, Tunbridge Wells, TN4 9HT Assessor's declaration The assessor is not related to the owner of the

property.

Date of assessment 17 July 2014
Date of certificate 18 July 2014